SPECIFICATION & PRICELIST





All measurements/figures are approximate. Errors and omissions excepted. Specification and material can be changed without notice. Valid from 2021.11.30.


TECHNICAL DATA	
LOA	8.75 m / 28' 8"
HULL LENGTH	8.75 m / 28' 8"
LWL	8.00 m / 26' 3"
BEAM	2.95 m / 9' 8"
DRAUGHT	
standard keel	1.58 m / 5' 2"
competition	1.80 m / 5' 11"
shallow keel	1.22 m / 4' 0"
BALLAST	
standard keel	1.12 t / 2,496 lbs
competition	0.97 t / 2,139 lbs
shallow keel	1.27 t / 2,780 lbs
DISPLACEMENT	
standard keel	3.70 t / 8,157 lbs
competition	3.60 t / 7,936 lbs
shallow keel	3.90 t / 8,598 lbs
ENGINE APPROX.	Diesel 12 PS / hp
FRESH WATER	approx. 100 l / 26.42 gal
FUEL TANK	approx. 60 l / 15.85 gal
MAST ABOVE WL	13.55 m / 44' 5"
TOTAL SAIL AREA	
	42.60 m² / 459 sq ft
MAIN SAIL	42.60 m² / 459 sq ft 24.90 m² / 268 sq ft
MAIN SAIL FURLING JIB 107%	
	24.90 m² / 268 sq ft
FURLING JIB 107% SPINNAKER GENNAKER	24.90 m² / 268 sq ft 17.70 m² / 191 sq ft
FURLING JIB 107%	24.90 m² / 268 sq ft 17.70 m² / 191 sq ft 58.50 m² / 630 sq ft
FURLING JIB 107% SPINNAKER GENNAKER	24.90 m² / 268 sq ft 17.70 m² / 191 sq ft 58.50 m² / 630 sq ft 53.40 m² / 575 sq ft I 11.25 m / 36' 11" J 3.15 m / 10' 4" P 11.00 m / 36' 1"
FURLING JIB 107% SPINNAKER GENNAKER RIG	24.90 m ² / 268 sq ft 17.70 m ² / 191 sq ft 58.50 m ² / 630 sq ft 53.40 m ² / 575 sq ft 111.25 m / 36' 11" J 3.15 m / 10' 4" P 11.00 m / 36' 1" E 4.00 m / 13' 1"
FURLING JIB 107% SPINNAKER GENNAKER RIG CE CERTIFICATE	24.90 m² / 268 sq ft 17.70 m² / 191 sq ft 58.50 m² / 630 sq ft 53.40 m² / 575 sq ft 111.25 m / 36' 11" J 3.15 m / 10' 4" P 11.00 m / 36' 1" E 4.00 m / 13' 1" B-6 (XB1000)

DECK AND INTERIOR LAYOUTS Dehler 29

DECK LAYOUT



INTERIOR LAYOUT



STANDARD SPECIFICATION



HULL

- GRP hull, isophthalic gelcoat, colour Signal White (RAL 9003), 1st layer vinyl ester resin and balsa sandwich laminat
- Waterline and cove line, isophthalic gelcoat, colour: Dark Blue (RAL 5004)

KEEL

- L-keel, cast iron, standard draft: 1.58 m
- GRP rudder with sea-water resistant shaft and selfaligning bearings

LAYOUT & INTERIOR

- A1: Double V berth in foreship
- B1: Saloon with sofas and galley on
- port, head and chart table on stb - C1: Aft cabin with double berth, locker
- and storage
- 2-burner gas stove, waste bin,
- stainless steel sink with mixing tab - Interior furniture in high quality marine
- plywood, satin varnish
- Dehler companionway closing system
- Worktop in galley White

WOOD (FURNITURE, FLOORBOARD)

- Furniture Mahogany
- Floorboard Australian Acacia

UPHOLSTERY

- Mattrasses for all berths
- Upholstery Baltic, colour: creme

DECK & OUTSIDE EQUIPMENT

- GRP deck with antislip surface, isophthalic gelcoat, colour: Signal White (RAL 9003), 1st layer vinyl ester resin with balsa sandwich core. Cockpit locker on stb.
- Tiller with tiller extention
- Pulpit and pushpit, stainless steel
- Railing, incl. stanchions and stainless steel wire
- Halyards and control lines with organizers and jammers on coach roof, 4 mooring cleats, handrail on coach
- roof, swimming ladder
- 2 LEWMAR 30 Race manual halyard winches
- 2 LEWMAR 30 Race manual
- secondary winches
- Rub rail, aluminium
- Mainsheet system with adjustable traveller
- 2 decks hatches openable
- 6 deck coach roof windows 4 openable

RIG & SAILS

- Rig, anodized aluminium, deck stepped incl.: rigging, running rigging, kicker, manual on deck jib furler, manual backstay tensioner
- QUANTUM AC5 performance sails -
- full battened, triradial, main and jib
- Dyneema halyards for main and jib

NAVIGATION & INSTRUMENTS

- Illuminated compass on coach roof
- Navigation lights LED

PROPULSION

- Fuel tank, approx. 60 l
- Engine (Diesel, approx. 12 hp) saildrive, 2 blade folding propeller

EQUIPMENT

- 12 V electric system with main
- switchboard - AGM battery set - capacity: starter
- battery: 1 x 90 Ah, service battery: 1 x 160 Ah
- Manual toilet with sea water flush cabin layout B
- LPG gas system, stowage for 1 bottle
- Black water system with deck extraction and seacock, manual bilge pump
- Fresh water system with electric pump
- Fresh water tank, appr. 100 l

SHIPPING & TRANSPORT

- CE Certificate cat. B 6 (XB1000) /
- C 6 (XB1001/XB1002)
- Owners manual
- EC Type Examination Certificate





	AS PER STANDARD SPECIFICATION	\$ 157,400
	PACKAGES	
	B&G Navigation Package	\$ 4,579
XF2220	2 B&G Triton ² multifunction displays at companionway, incl. transducer	
XF4010	(wind/depth/speed/temperature)	
XI 4010	B&G Zeus ³ 7" chart plotter at companionway	
XW3000	Cruising Package	\$ 5,390
XC6010	Washbord for cockpit	φ 5,590
XC9100	Anchor 10 kg, galvanized with roller, 10 m galvanized chain and 30 m rope	
XF4550	MyDehler safety cloud with 24 months subscription and device installed on board	
XH2150	Shore power incl. socket, switchboard and charger 35 A	
XH5010	Hot water for galley, head and shower unit in cockpit (only with XH2150)	
XH5100	Fridge 42 I with compressor, front opening, 12 V	
XV9010	Blind set with flyscreens for hatches	
XV9420	Wind indicator	
XV9450	Flagpole	
XV9901	4 fenders	
XV9902	4 mooring lines	
XV9950	Dehler maintenance kit	
XW5000	5	\$ 2,958
XC9402	Cockpit portlight, aft cabin, port	
XL7301	Add. shelves in fwd cabin	
XL7500	Add. cupboard in head	
XL9002	2 reading lights in saloon and add. reading light in aft cabin	
XN4001	Curtains for coach roof windows in saloon and to foreship	
XW6000 XC9170	Gennaker Package Bowsprit, stainless steel	\$ 4,579
XE3105	QUANTUM Gennaker (colour selection)	
XE3105	Squeezer for Gennaker	
XE9003	Gennaker package incl. halyard, 2 sheets, 2 blocks and padeyes (only with XC9170)	
ALGOOD		
XW7000	Entertainment Package	\$ 2,283
XK1000	FUSION MS-RA70N Multimedia radio with bluetooth - for saloon and cockpit (only with XK5000)	φ 2,203
XK2000	2x 2 speakers in saloon and cockpit	
XK3000	FUSION MS-NRX remote control in cockpit	
	OPTIONS	
XA1001	HULL GPP hull geleget colour: Grov (PAL 7040)	\$ 2,823
741001	GRP hull, gelcoat colour: Grey (RAL 7040)	φ 2,023

	-	•	,	
XA3001	Waterline and cove line,	coloured gelco	oat (colour selection)	\$ 527

PRICELIST



VB1001	KEEL	¢ E OEE
XB1001 XB1002	L-keel, lead, draft: 1.22 m	\$ 5,255 \$ 4,985
XB9000	L-keel, cast iron/lead, draft: 1.80 m Keel and rudder - not mounted	\$ 4,985 \$ 797
XD9000	Keel and Tudder - not mounted	\$ /9/
XL7601	LAYOUT & INTERIOR Worktop in galley - Black	\$ 932
		¢ 001
	WOOD (FURNITURE, FLOORBOARD)	
XM1101	Furniture - Teak	\$ 3,769
XM1201	Floorboard - Noce Nero	\$ 392
XM1202	Floorboard - Classic Stripes	\$ 1,067
XM1203	Floorboard - Piave Oak	\$ 392
	UPHOLSTERY	
XN2001	Upholstery - Arctic (colour selection)	\$ 662
XN2002	Upholstery - Pacific (colour selection)	\$ 1,202
XN2003	Upholstery - Biscay (colour selection)	\$ 1,608
	DECK & OUTSIDE EQUIPMENT	
XC1300	Teak on side decks	\$ 5,930
XC1301	Flexiteek on side decks (colour selection)	\$ 6,741
XC1320	Teak on cockpit bottom	\$ 2,013
XC1321	Flexiteek on cockpit bottom (colour selection)	\$ 2,283
XC1340	Teak on cockpit benches	\$ 662
XC1341	Flexiteek on cockpit benches (colour selection)	\$ 932
XC3001	Cockpit table "Lagun"	\$ 797
XC9021	Rub rail, stainless steel	\$ 1,608
XC9100	Anchor 10 kg, galvanized with roller, 10 m galvanized chain and 30 m rope	\$ 797
XC9170	Bowsprit, stainless steel	\$ 1,337
	RIG & SAILS	
XE2001	Maindrop system with lazy jacks (colour selection)	\$ 1,202
XE2012	Sprayhood with stainless steel stake, 3 windows (1 openable) (colour selection)	\$ 2,013
XE3005	QUANTUM TP6 high-performance sails - full battened, UV-protected membrane, main and jib	\$ 7,416
XE3205	QUANTUM Spinnaker (colour selection)	\$ 2,013
XE4003	Spinnaker package incl. aluminium pole, halyard, 2 sheets, 2 blocks and padeyes	\$ 2,553
XE9003	Gennaker package incl. halyard, 2 sheets, 2 blocks and padeyes (only with XC9170)	\$ 797
	NAVIGATION & INSTRUMENTS	
XF3000	B&G VHF V60 at chart table, incl. wireless remote handset H60 (only with XK5000)	\$ 1,472
YE4010	B&G Zeus ³ 7" chart plotter at companionway	¢ 3 003

XF4010B&G Zeus³ 7" chart plotter at companionway\$ 3,093XF5005SIMRAD TP32 TillerPilot\$ 1,608

PRICELIST



XG1101	PROPULSION Engine (Diesel, approx. 18 hp) - saildrive, 2 blade folding propeller	\$ 2,418
	EQUIPMENT	
XH2150	Shore power incl. socket, switchboard and charger 35 A	\$ 1,472
XH4011	Heating, hot air with 3 blowers	\$ 4,174
XH5010	Hot water for galley, head and shower unit in cockpit (only with XH2150)	\$ 1,878
XH5409	Gas leak detector	\$ 1,202
XH5610	Grey water lake system, no hull-through fittings for grey and black water, add. waste tank	\$ 1,878
	RADIO & ENTERTAINMENT	
XK5000	VHF preparation with antenna and splitter for FM and AIS	\$ 527
	ACCESSORIES	
XV9380	Shrink wrap foil (for storage purpose only / not for transport)	\$ 527
V70001	SHIPPING & TRANSPORT	¢ 507
XZ2001	Loading on truck	\$ 527
XZ2003	Oversea shipping pack (cradle)	\$ 3,364
XZ2020	Ready for pickup	\$ 797

All mentioned prices in US-Dollars. Freight to port of Baltimore included- additional freight costs may be necessary, depending on destination and options. US duty included (DEQ) at 1.5%, any US proclamations imposing additional tariffs are not included in this pricing. Prices are subject to change without notice. All weights and measures are calculated numbers based on the construction data. Changes in construction and equipment reserved. Boat according to US specifications. Company reserves additional 15 working days when painted hull is ordered. All measurements/figures are approximate. Errors and omissions excepted. Specification and material can be changed without notice. Valid from 2021.11.30.